

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

Claims 1-6 (canceled).

Claim 7 (new): A laminated coil comprising:

a laminated body including a non-magnetic body section and magnetic body sections disposed on both main surfaces of the non-magnetic body section, each of the magnetic body sections including a plurality of stacked magnetic layers, and the non-magnetic body section including a plurality of stacked non-magnetic layers; and

a coil including coil conductors provided on the magnetic body sections and the non-magnetic body section, the coil conductors being helically connected; wherein

the number of coil turns of the coil conductors provided on the non-magnetic body section is greater than the number of coil turns of the coil conductors provided on each layer other than the coil conductors provided on the non-magnetic body section.

Claim 8 (new): The laminated coil according to Claim 7, wherein the coil conductors provided on the non-magnetic body section are disposed on at least one of the main surfaces of the non-magnetic body section.

Claim 9 (new): The laminated coil according to Claim 8, wherein the coil conductors provided on the non-magnetic body section are disposed on both of the main surfaces of the non-magnetic body section.

Claim 10 (new): The laminated coil according to Claim 9, wherein the coil conductors provided on the non-magnetic body section are also provided inside the non-magnetic body section.

Claim 11 (new): The laminated coil according to Claim 8, wherein the coil conductors provided on the non-magnetic body section are also provided inside the non-magnetic body section.

Claim 12 (new): The laminated coil according to Claim 7, wherein a plurality of the non-magnetic body sections is provided inside the laminated body.

Claim 13 (new): A laminated coil comprising:

a laminated body including a non-magnetic body section and magnetic body sections disposed on both main surfaces of the non-magnetic body section, each of the magnetic body sections including a plurality of stacked magnetic layers, and the non-magnetic body section including at least one non-magnetic layer; and

a coil including coil conductors provided on the magnetic body sections and the non-magnetic body section, the coil conductors being helically connected; wherein the number of coil turns of the coil conductors provided on the non-magnetic body section is greater than the number of coil turns of the coil conductors provided on the magnetic body section.

Claim 14 (new): The laminated coil according to Claim 13, wherein the non-magnetic body section includes a plurality of stacked non-magnetic layers.

Claim 15 (new): The laminated coil according to Claim 14, wherein the coil conductors provided on the non-magnetic body section are disposed on at least one of the main surfaces of the non-magnetic body section.

Claim 16 (new): The laminated coil according to Claim 14, wherein the coil conductors provided on the non-magnetic body section are disposed on both of the main surfaces of the non-magnetic body section.

Claim 17 (new): The laminated coil according to Claim 15, wherein the coil conductors provided on the non-magnetic body section are also provided inside the non-magnetic body section.

Claim 18 (new): The laminated coil according to Claim 16, wherein the coil conductors provided on the non-magnetic body section are also provided inside the non-magnetic body section.

Claim 19 (new): The laminated coil according to Claim 13, wherein a plurality of the non-magnetic body sections is provided inside the laminated body.

Claim 20 (new): The laminated coil according to Claim 13, wherein the non-magnetic body section includes a single non-magnetic layer.

Claim 21 (new): The laminated coil according to Claim 20, wherein the coil conductors provided on the non-magnetic body section are disposed on at least one of the main surfaces of the non-magnetic body section.

Claim 22 (new): The laminated coil according to Claim 20, wherein the coil conductors provided on the non-magnetic body section are disposed on both of the main surfaces of the non-magnetic body section.

Claim 23 (new): The laminated coil according to Claim 13, wherein the coil conductors provided on the non-magnetic body section are also provided inside the non-magnetic body section.